



# Power & Frequency Capabilities

## Frequency



## Power



# Cable Characteristics


	<b>Low Loss</b>	<b>Rugged</b>	<b>RF Power</b>	<b>Test &amp; Measurement</b>	<b>Small Signal</b>		<b>Semi-Rigid</b>
	<b>Vortex</b>	<b>TRUcore</b>	<b>TRUflex PWR</b>	<b>TRUtest</b>	<b>SRC-316</b>	<b>Steelflex</b>	<b>.020/.047/.086/ .141/.250</b>
<b>Electrical Characteristics</b>							
Operational Frequency	DC-50 GHz	DC-50 GHz	DC-6 GHz	DC-110 GHz	DC-12 GHz	DC-65 GHz	DC-110 GHz
Power Handling	Better	Better	Best	Good	Good	Good	Good
Low Loss	Best	Better	Best	Better	Good	Good	Good
Phase v Flexure	Better	Best	Good	Better	Good	Good	Good
Phase v Temperature	Best	Better	Good	Better	Good	Good	Good
Shielding Effectiveness	Better	Better	Good	Better	Best	Best	Best
<b>Mechanical Characteristics</b>							
Crush Resistant	Better	Best	Better	Better	Good	Good	Good
Crush Resistant - Armored	Good	Best	Better	Good	Best	Best	Best
Torque Resistant	Better	Best	Best	Best	Good	Good	Good
Pull Strength	Better	Best	Better	Better	Good	Good	Good
Flexure	Best	Better	Better	Best	Good	Good	Good
<b>Environmental Characteristics</b>							
Temperature	Best	Best	Better	Good	Good	Good	Good
Moisture Resistant	Better	Best	Better	Good	Good	Good	Best



**MEIA**



**100 GHz**



**Edge Mount**



**SQS**